


PRODUCT DATA SHEET

MaxiFlex® Elite™ 34-774B

Colour – Coating	Black
Colour – Liner	Light grey
Design	Palm coated knitwrist
Coating	NBR (Nitrile Butadiene Rubber)
Coating texture	Micro-Foam for Controlled Grip
Liner	Nylon, Carbon, Polyester, Spandex
Patent number	EP 1 608 808
Palm thickness (mm)	0.75



Dimensions

Size Range	Size 5 (XXS)	Size 6 (XS)	Size 7 (S)	Size 8 (M)	Size 9 (L)	Size 10 (XL)	Size 11 (XXL)	Size 12 (XXXL)
Total glove length (+/- 10 mm)	180	190	200	210	220	225	230	235
Wrist length (mm)	52	53	54	61	67	67	63	65
Wrist width (mm)	74	75	75	78	79	81	84	85
Palm width (mm)	81	83	86	90	95	99	101	103
Over lock colour	Purple	Blue	Red	Orange	White	Yellow	Black	Grey

EN Test Results

Test	Notified body	Result/Pass
EN ISO 21420: 2020	TÜV Rheinland	Yes
EN 388:2016 + A1:2018	TÜV Rheinland	4121A
EN 16350:2014	TÜV Rheinland	Vertical resistance $R_v < 1,0 \times 10^8 \Omega$.



PRODUCT DATA SHEET

MaxiFlex® Elite™ 34-774B

Typical Performance Values

EN ISO 21420: General requirements Dexterity	Level 5
EN 388:2016 + A1:2018 A. Abrasion Resistance	> 8000 Cycles
EN 388:2016 + A1:2018 B. Cut Resistance	> 1.2 index
EN 388:2016 + A1:2018 C. Tear Resistance	> 25 newtons
EN 388:2016 + A1:2018 D. Puncture Resistance	> 20 newtons
EN 388:2016 + A1:2018 E. Cut Resistance ISO	≥ 2 Newton

HandCare®

Skin Health Alliance Dermatologically Accredited	Yes
REACH compliant	Yes
Standard 100 by OEKO-TEX® (08.BH.57867 Hohenstein HTTI)	Certified
Washable	40°C/104°F
Sanitized®	Yes



Special features

Silicone free	Yes
Antistatic	Yes
Touchscreen compatible	Yes



PRODUCT DATA SHEET

MaxiFlex® Elite™ 34-774B

Packaging

Pairs per poly bag	12
Poly bags per carton	12
Carton count	144
Carton dimensions (mm)	500 x 295 x 270

Weight

Size Range	Size 5 (XXS)	Size 6 (XS)	Size 7 (S)	Size 8 (M)	Size 9 (L)	Size 10 (XL)	Size 11 (XXL)	Size 12 (XXXL)
Glove weight / pair (+/- 6 gram)	22	24	28	30	32	34	36	38
Gross weight (kg)	4.2	4.45	5	5.32	5.6	5.9	6.2	6.5
Carton weight (kg)	1	1	1	1	1	1	1	1
Net weight (kg)	3.2	3.5	4.0	4.3	4.6	4.9	5.2	5.5

Issue date: 12/04/2023

