


# PRODUCT DATA SHEET

## MaxiCut® Oil™ 44-504

<b>Colour – Coating</b>	Black
<b>Colour – Liner</b>	Blue
<b>Design</b>	Palm coated knitwrist
<b>Coating</b>	NBR (Nitrile Butadiene Rubber)
<b>Coating texture</b>	Micro-Foam with Non-Slip Grip
<b>Liner</b>	UHMWPE-Glass-Nylon, Spandex
<b>Patent number</b>	EP 1 608 808
<b>Palm thickness (mm)</b>	1.30



### Dimensions

Size Range	Size 5 (XXS)	Size 6 (XS)	Size 7 (S)	Size 8 (M)	Size 9 (L)	Size 10 (XL)	Size 11 (XXL)	Size 12 (XXXL)
<b>Total glove length (+/- 10 mm)</b>	195	200	205	215	225	235	240	245
<b>Wrist length (mm)</b>	60	62	64	69	74	79	80	82
<b>Wrist width (mm)</b>	70	73	76	82	86	89	91	93
<b>Palm width (mm)</b>	82	86	90	97	103	107	109	113
<b>Over lock colour</b>	Purple	Blue	Red	Orange	White	Yellow	Black	Green

### EN Test Results

Test	Notified body	Result/Pass
EN ISO 21420: 2020	TÜV Rheinland	Yes
EN 388:2016 + A1:2018	TÜV Rheinland	4442C



# PRODUCT DATA SHEET

## MaxiCut® Oil™ 44-504

### Typical Performance Values

EN ISO 21420: General requirements Dexterity	Level 5
EN 388:2016 + A1:2018 A. Abrasion Resistance	> 8000 Cycles
EN 388:2016 + A1:2018 B. Cut Resistance	> 10.0 index
EN 388:2016 + A1:2018 C. Tear Resistance	> 75 newtons
EN 388:2016 + A1:2018 D. Puncture Resistance	> 60 newtons
EN 388:2016 + A1:2018 E. Cut Resistance ISO	≥ 10 Newton

### HandCare®

Skin Health Alliance Dermatologically Accredited	Yes
REACH compliant	Yes
Standard 100 by OEKO-TEX® (08.BH.57867 Hohenstein HTTI)	Certified
Washable	40°C/104°F
Sanitized®	Yes



### Special features

Silicone free	Yes
---------------	-----



# PRODUCT DATA SHEET

## MaxiCut® Oil™ 44-504

### Packaging

Pairs per poly bag	12
Poly bags per carton	6
Carton count	72
Carton dimensions (mm)	500 x 295 x 200

### Weight

Size Range	Size 5 (XXS)	Size 6 (XS)	Size 7 (S)	Size 8 (M)	Size 9 (L)	Size 10 (XL)	Size 11 (XXL)	Size 12 (XXXL)
Glove weight / pair (+/- 6 gram)	52	60	68	78	86	90	96	100
Gross weight (kg)	4.7	5.3	5.9	6.6	7.2	7.5	7.9	8.2
Carton weight (kg)	1	1	1	1	1	1	1	1
Net weight (kg)	3.7	4.3	4.9	5.6	6.2	6.5	6.9	7.2

Issue date: 06/04/2023

