



|                        |               |                               |               |
|------------------------|---------------|-------------------------------|---------------|
| <b>EAN:</b>            | 4013288185457 | <b>Size:</b>                  | 165x140x65 mm |
| <b>Part number:</b>    | 05004210001   | <b>Weight:</b>                | 962 g         |
| <b>Article number:</b> | 8740 C HF 2   | <b>Country of origin:</b>     | CZ            |
|                        |               | <b>Customs tariff number:</b> | 82079030      |

- Compact textile box with high robustness, low weight and volume
- Bit socket (non-impact) for manual or power tool operations
- The holding function holds screws securely on the tool
- Knurling on lower socket end for more grip when used manually
- With Take it easy tool finder: colour coding by size

Bit socket set, hexagon socket, with holding function for particularly convenient screwdriving with reduced risk of losing the screw when addressing the workpiece.

**Web link**


[https://products.wera.de/en/ratchets\\_and\\_accessories\\_the\\_zyklop\\_ratchets\\_the\\_zyklop\\_ratchets\\_1\\_2\\_zyklop\\_accessories\\_1\\_2\\_8740\\_c\\_hf\\_2.html](https://products.wera.de/en/ratchets_and_accessories_the_zyklop_ratchets_the_zyklop_ratchets_1_2_zyklop_accessories_1_2_8740_c_hf_2.html)

Wera - 8740 C HF 2  
05004210001 - 4013288185457

Wera Werkzeuge GmbH  
Korzter Straße 21-25  
D-42349 Wuppertal  
Tel: +49 (0)2 02 / 40 45-0  
E-Mail: [info@wera.de](mailto:info@wera.de)

Zyklop Accessories, 1/2"

Secure hold and easy removal



The all new smooth turning mechanism guarantees both secure and rattle-free storage, yet allows easy removal of the tool.

Manual and machine sockets



The manual and machine sockets can be used both for hand and power tools use (non-impact). Users need just one socket set for all applications.

Bit sockets with retaining function for hexagon socket screws



The clamping of the screw is achieved by a flexible locking ball. The holding function is especially helpful in confined, hard-to-reach spaces, where there is no room for a second hand to secure the screw.

Web link

[https://products.wera.de/en/ratchets\\_and\\_accessories\\_the\\_zyklop\\_ratchets\\_the\\_zyklop\\_ratchets\\_1\\_2\\_zyklop\\_accessories\\_1\\_2\\_8740\\_c\\_hf\\_2.html](https://products.wera.de/en/ratchets_and_accessories_the_zyklop_ratchets_the_zyklop_ratchets_1_2_zyklop_accessories_1_2_8740_c_hf_2.html)

Wera - 8740 C HF 2  
05004210001 - 4013288185457

Wera Werkzeuge GmbH  
Korzerter Straße 21-25  
D-42349 Wuppertal  
Tel: +49 (0)2 02 / 40 45-0  
E-Mail: [info@wera.de](mailto:info@wera.de)

## 8740 C HF 2 Zyklus bit socket set with 1/2" drive, with holding function, 6 pieces

### Zyklus Accessories, 1/2"



#### Set contents:


#### 8740 C HF Zyklus bit socket with 1/2" drive with holding function, 4 x 140 mm



|             |    |             |
|-------------|----|-------------|
| 05003840001 | 1x | 4 x 140 mm  |
| 05003841001 | 1x | 5 x 140 mm  |
| 05003842001 | 1x | 6 x 140 mm  |
| 05003843001 | 1x | 7 x 140 mm  |
| 05003844001 | 1x | 8 x 140 mm  |
| 05003845001 | 1x | 10 x 140 mm |

#### Hook and Loop Fastener Strip 120, 120 x 50 mm

1x 120 x 50 mm



#### Web link

[https://products.wera.de/en/ratchets\\_and\\_accessories\\_the\\_zyklus\\_ratchets\\_the\\_zyklus\\_ratchets\\_1\\_2\\_zyklus\\_accessories\\_1\\_2\\_8740\\_c\\_hf\\_2.html](https://products.wera.de/en/ratchets_and_accessories_the_zyklus_ratchets_the_zyklus_ratchets_1_2_zyklus_accessories_1_2_8740_c_hf_2.html)

Wera - 8740 C HF 2  
05004210001 - 4013288185457

Wera Werkzeuge GmbH  
Korzerter Straße 21-25  
D-42349 Wuppertal  
Tel: +49 (0)2 02 / 40 45-0  
E-Mail: [info@wera.de](mailto:info@wera.de)