

932 A Screwdriver for slotted screws, 0.8 x 4.5 x 90 mm

Kraftform Plus – Series 900



EAN:	4013288018014	Size:	188x33x33 mm
Part number:	05018262001	Weight:	89 g
Article number:	932 A	Country of origin:	CZ
		Customs tariff number:	82054000

- Chiseldriver for fastening, chiselling and loosening
- Hexagonal blade extending through the handle
- Multi-component Kraftform handle for fast and ergonomic screwdriving
- Impact cap and bolster for the transfer of higher torque
- The Wera Black Point tip offers an exact fit and optimum corrosion protection

Wera chiseldriver for screwdriving, chiseling, mortising and slackening stuck screws. With multi-component Kraftform handle for fast and smooth work. Kraftform Plus: Hard handle zones for high working speeds, while soft handle zones guarantee a high torque transfer. The pound-thru hexagonal blade made of premium bit material ensures power transmission without loss even at hammer blows. Tough tempered material to prevent the blade from splintering or breaking. With integrated impact cap to increase service life and reduce risk of splintering. Higher torques can be transmitted with open-end or ring spanners using the integrated hexagonal wrench aid. The Wera Black Point tip and a sophisticated hardening process guarantee a long usability for the tip, increased corrosion protection and exact fitting accuracy. With hexagon anti-roll protection to avoid bits from rolling away annoyingly in the workplace.



Web link

https://products.wera.de/en/screwdrivers_kraftform_plus_series_900_932_a.html

Wera - 932 A
05018262001 - 4013288018014

Wera Werkzeuge GmbH
Korzerter Straße 21-25
D-42349 Wuppertal
Tel: +49 (0)2 02 / 40 45-0
E-Mail: info@wera.de

Integrated impact cap



Screwdrivers are often misused as chisels. This can be dangerous. The chiseldriver is the solution when not only screwdriving is required. For fastening, chiselling and loosening seized screws. Wera chiseldriver: the screwdriver whenever the going gets tough!



An integrated impact cap lengthens the service life and reduces the danger of splintering. Nevertheless, always wear protective goggles.

Pound-thru blade



A hexagon blade made out of high-quality bit material extends right through the handle - thereby ensuring full transfer of force, even when struck with a hammer. The ductile tempered material prevents the blade from splintering or breaking.

Integrated hex bolster



Greater torque can be transferred by fitting an open-jaw or ring spanner over the integrated hex bolster.

Wera Black Point tip



The Wera Black Point tip and a refined hardening process ensure long service life of the tip, improved corrosion protection and an exact fit.

Kraftform




The basic idea for the prototype of the Kraftform handle - that the hand should dictate the design - has, right through to today, proved to be correct. In cooperation with the internationally recognised Fraunhofer IAO Institute, Wera developed a screwdriver handle designed to match the shape of the human hand as long ago as the 1960s. After a long development phase, the Wera Kraftform handle was launched to the market in 1968. It has been optimised through the years with new technologies, but has kept its proven shape. After all, the human hand has not changed either.

Rapid hand repositioning



The hard materials used for the handle ensure rapid hand repositioning without any danger of the skin "sticking" to the handle. The surrounding hard zones with large diameters glide like wheels through the hand.

Non-roll feature



The hexagonal non-roll feature prevents any rolling away at the workplace.

Web link

https://products.wera.de/en/screwdrivers_kraftform_plus_series_900_932_a.html

Wera - 932 A
05018262001 - 4013288018014

Wera Werkzeuge GmbH
Korzerter Straße 21-25
D-42349 Wuppertal
Tel: +49 (0)2 02 / 40 45-0
E-Mail: info@wera.de

Further versions in this product family:

								
	mm	mm	mm	inch	mm	inch	mm	mm
05018260001 ¹⁾	80	-	4	3 1/8"	0.6	9/64"	3.5	81
05018262001	90	8	5	3 1/2"	0.8	0.178"	4.5	98
05018264001	100	10	6	4"	1.0	7/32"	5.5	105
05018266001	125	10	6	5"	1.2	9/32"	7.0	105
05018268001	150	13	8	6"	1.6	11/32"	9.0	112
05018270001	175	13	8	7"	1.6	3/8"	10.0	112
05018272001 ²⁾	200	16	10	8"	2.0	1/2"	12.0	117
05018274001 ²⁾	250	16	10	10"	2.5	9/16"	14.0	117

1) No throughout blade, no impact cap and no hexagon bolster

2) Kraftform with non-roll feature, single-component

Web link

https://products.wera.de/en/screwdrivers_kraftform_plus_series_900_932_a.html

Wera - 932 A

05018262001 - 4013288018014

Wera Werkzeuge GmbH

Korzerter Straße 21-25

D-42349 Wuppertal

Tel: +49 (0)2 02 / 40 45-0

E-Mail: info@wera.de