

840/4 Z bits, 7/64" x 89 mm

Bits for Hexagon Socket Screws



EAN:	4013288155498	Size:	89x7x6 mm
Part number:	05059662001	Weight:	25 g
Article number:	840/4 Z Hex-Plus	Country of origin:	CZ
		Customs tariff number:	82079030

- For hexagonal socket head screws
- Hex-Plus allows socket head screws to live longer
- Tough for hard materials
- 1/4" hexagon drive (Wera connecting series 4)

Tough Wera bits for hexagonal socket screws, for universal use. Hex-Plus offers larger contact surfaces in the screw head. The notch effect is reduced to a minimum and the destruction of the screw is nearly eliminated. 1/4" hexagonal, suitable for holders as per DIN ISO 1173-F 6.3.

Web link

https://products.wera.de/en/bits_holders_adaptors_and_sets_the_range_of_bits_bits_for_hexagon_socket_screws_840_4_z_hex-plus.html

Wera - 840/4 Z Hex-Plus
05059662001 - 4013288155498

Wera Werkzeuge GmbH
Korzerter Straße 21-25
D-42349 Wuppertal
Tel: +49 (0)2 02 / 40 45-0
E-Mail: info@wera.de

Hex-Plus



Hexagon socket screws are a problem, because the contact surfaces that transfer the force of the tool to the screw are very narrow. The consequence: the head of the screw can be damaged, usually rounding out the recess. Hex-Plus tools have larger contact surfaces to prevent this, driving from the flats of the recess, rather than the corners. Good to know: Hex-Plus tools fit into every standard hexagon socket screw!

Tough bits



Tough Wera bits prevent the tip from breaking prematurely. Z-bits usually are the bit for universal screwdriving applications.

Further versions in this product family:

					
	mm	inch	mm	mm	inch
05160885001	50	-	0.9	2.6	2"
05059602001	50	-	1.5	2.0	2"
05059603001	50	-	2.0	4.0	2"
05059628001	89	-	2.0	4.0	3 1/2"
05059604001	50	-	2.5	4.0	2"
05059629001	89	-	2.5	4.0	3 1/2"
05059605001	50	-	3.0	4.0	2"
05059630001	89	-	3.0	4.0	3 1/2"
05380033001	152	-	3.0	4.0	6"
05059610001	50	-	4.0	5.0	2"
05059631001	89	-	4.0	5.0	3 1/2"
05059634001	152	-	4.0	5.0	6"
05059615001	50	-	5.0	6.0	2"
05059632001	89	-	5.0	6.0	3 1/2"
05059635001	152	-	5.0	6.0	6"
05059620001 ¹⁾	50	-	6.0	5.0	2"

Web link

https://products.wera.de/en/bits_holders_adaptors_and_sets_the_range_of_bits_bits_for_hexagon_socket_screws_840_4_z_hex-plus.html

Wera - 840/4 Z Hex-Plus
 05059662001 - 4013288155498

Wera Werkzeuge GmbH
 Korzenter Straße 21-25
 D-42349 Wuppertal
 Tel: +49 (0)2 02 / 40 45-0
 E-Mail: info@wera.de

Bits for Hexagon Socket Screws

05059633001 ¹⁾	89	-	6.0	-	3 1/2"
05059636001 ¹⁾	152	-	6.0	-	6"
05059625001 ¹⁾	50	-	8.0	-	2"
05059637001 ¹⁾	89	-	8.0	-	3 1/2"
05350430001	50	0.05"	-	2.5	2"
05135090001	50	1/16"	-	2.5	2"
05135091001	50	5/64"	-	3.0	2"
05059660001	89	5/64"	-	3.0	3 1/2"
05135092001	50	3/32"	-	3.0	2"
05059661001	89	3/32"	-	3.5	3 1/2"
05135093001	50	7/64"	-	3.5	2"
05059662001	89	7/64"	-	4.0	3 1/2"
05135094001	50	1/8"	-	4.0	2"
05059663001	89	1/8"	-	4.0	3 1/2"
05380045001	152	1/8"	-	4.0	6"
05135095001	50	9/64"	-	4.5	2"
05059664001	89	9/64"	-	4.5	3 1/2"
05380046001	152	9/64"	-	4.5	6"
05135096001	50	5/32"	-	5.0	2"
05059665001	89	5/32"	-	5.0	3 1/2"
05380047001	152	5/32"	-	5.0	6"
05135097001	50	3/16"	-	6.0	2"
05059666001	89	3/16"	-	6.0	3 1/2"
05380048001	152	3/16"	-	6.0	6"
05135098001	50	7/32"	-	-	2"
05059667001	89	7/32"	-	-	3 1/2"
05380049001	152	7/32"	-	-	6"
05135099001	50	1/4"	-	-	2"
05059668001	89	1/4"	-	-	3 1/2"
05380050001	152	1/4"	-	-	6"
05346288001	50	5/16"	-	-	2"

1) Pound-thru hexagonal

Web link

https://products.wera.de/en/bits_holders_adaptors_and_sets_the_range_of_bits_bits_for_hexagon_socket_screws_840_4_z_hex-plus.html

Wera - 840/4 Z Hex-Plus
05059662001 - 4013288155498

Wera Werkzeuge GmbH
Korzerter Straße 21-25
D-42349 Wuppertal
Tel: +49 (0)2 02 / 40 45-0
E-Mail: info@wera.de