



EAN:	4013288179777	Size:	195x105x55 mm
Part number:	05072017001	Weight:	1034 g
Article number:	2090/17	Country of origin:	CZ
		Customs tariff number:	82054000

- 2090 impact driver, 90 Nm with many accessories
- To loosen and tighten screws without the use of power tools
- Impact forces are converted into rotary motion
- The double-curved design is particularly efficient
- 5/16" hexagon socket take-up

To loosen and tighten screws without the use of power tools simply by the force of the impact. The Wera impact drivers have a particularly high efficiency thanks to their robust, double-curved design. Impact forces are converted into rotary motion. The use of compressed air equipment becomes unnecessary. The robust textile box offers a very compact storage option for these high quality tools.

Web link

https://products.wera.de/en/impact_driver_series_2090_17.html

Wera - 2090/17
05072017001 - 4013288179777

Wera Werkzeuge GmbH
Korzerter Straße 21-25
D-42349 Wuppertal
Tel: +49 (0)2 02 / 40 45-0
E-Mail: info@wera.de

Impact drivers



It has to be possible that even the most seized screw can be loosened. Impact drivers are the solution whenever manual power is insufficient and a pneumatic screwdriver is not to hand. The Wera impact driver has particularly high efficiency thanks to its robust double-curved design. Impact forces are converted into rotary motion and so there is no need for the use of pneumatic appliances.

No need for power tools



Seized screws can be loosened or tightened without power tools.

Highly efficient



The double-curved design is particularly efficient.

Web link

https://products.wera.de/en/impact_driver_series_2090_17.html

Wera - 2090/17
05072017001 - 4013288179777

Wera Werkzeuge GmbH
Korzerter Straße 21-25
D-42349 Wuppertal
Tel: +49 (0)2 02 / 40 45-0
E-Mail: info@wera.de

2090/17 Impact driver set, 17 pieces

Impact Driver Series



Set contents:

2090 Impact driver 90 Nm, 5/16" x 142 mm



05072014001

1x 5/16" x 142 mm



851/2 Z bits, PH 2 x 32 mm



05057710001

1x PH 2 x 32 mm

05057715001

1x PH 3 x 32 mm



851/2 Z bits, PH 4 x 32 mm



1x PH 4 x 32 mm



800/2 slotted bits, 2 x 12 x 41 mm



1x 2 x 12 x 41 mm



840/2 Z Bits, 5 x 30 mm



05057515001

1x 5 x 30 mm

05057520001

1x 6 x 30 mm

05057525001

1x 8 x 30 mm

05057530001

1x 10 x 30 mm



840/2 hexagon Bits, 7 x 30 mm



1x 7 x 30 mm



867/2 Z TORX® bits, TX 30 x 35 mm



05066905001

1x TX 30 x 35 mm

05066910001

1x TX 40 x 35 mm

05066915001

1x TX 45 x 35 mm

05066920001

1x TX 50 x 35 mm

05066925001

1x TX 55 x 35 mm



870/2 Adaptor, 3/8 x 5/16"



05136001001¹⁾

1x 3/8 x 5/16"

05136002001¹⁾

1x 1/2 x 5/16"



¹⁾ With friction ball; for manual nut spinner sockets

Web link

https://products.wera.de/en/impact_driver_series_2090_17.html

Wera - 2090/17

05072017001 - 4013288179777

Wera Werkzeuge GmbH

Korzerter Straße 21-25

D-42349 Wuppertal

Tel: +49 (0)2 02 / 40 45-0

E-Mail: info@wera.de